

# WOODLEIGH BULLETS




**CATALOGUE 2018**

# WOODLEIGH BULLETS

## Merchandise and Bullet Features

### MERCHANDISE



Woodleigh Loading Manual


*Woodleigh Bullets Loading Manual*  
 Comprehensive guide 350 + pages with loading data for American, European, British and Double Rifle cartridges plus the history of Woodleigh Bullets and Hydrostatically Stabilised bullets. Compiled by Geoff McDonald, Graeme Wright and Hans Bossert.



Woodleigh Bullets Caps available in red, black, cammo, navy blue and fluoro orange.




Polo shirts available in black, red, navy, grey and burgundy



Cloth Badges



Drink Holder



Woodleigh Bullets  
 P.O. Box 15, MURRABIT, VIC  
 3579 AUSTRALIA  
 Ph: 61 3 5457 2226  
 Fax: 61 3 5457 2339  
 Email: zedfield@iinet.net.au  
 Web: www.woodleighbullets.com.au



375 heavy duty round nose in 300 grain and recovered from Buffalo



500 S+W in 400 grain recovered from Nilgai



404 Jeffrey in 400 grain recovered from Buffalo

#### Front Cover



Mr. Lindsay Taylor and Warthog shot with a Sako 85 Brown Bear in 375 H&H Magnum and 235gr Protected Point.



Mr Estian Van Rensburg and African Buffalo with his double .450 Nitro no 2 and a 480gr Woodleigh soft nose.

# WOODLEIGH BULLETS

## Recommended Usage

### Recommended Impact Velocities

Woodleigh have recommended impact velocities for all our soft nose bullets. These are listed on our website and printed on the bullet boxes. We recommend a range of impact velocities for each bullet which will give reliable expansion and optimum retained weight. These recommended impact velocities were arrived at after exhaustive field testing on various game. If loading to higher than the recommended velocity you may still get excellent results but it is our experience that driving the bullet within our ranges will give a more predictable result.

### Loading Tips - Soft Nose

As a general rule Woodleigh RN and PP bullets generate similar pressures to conventionally constructed soft nose bullets. You can use published data from other bullet and powder manufacturers. For safety, reduce by 5% and work up. Ensure that the case neck has a good grip on the bullet.



Left : Mr James Swidryk and Nilgai using a Freedom Arms 500 Wyoming Express single action handgun and the Woodleigh 500S+W 400grFN



Right : Pistol- Freedom Arms 500 Wyoming Express single action handgun.

### Protected Point Soft Nose

Very popular all round bullet to suit a variety of conditions. The higher ballistic coefficient bullet design has all the excellent qualities of typical Woodleigh Bullets which are highly regarded by serious game hunters. Internal grooves at the nose section strategically weaken the front jacket area for consistent controlled expansion in bullets 6.5mm to 8mm. The small flat nose with minimal lead showing will not deform under recoil in the magazine of bolt action rifles.



Ms Emily M'Intyre and Buffalo using a 30/06 and the 180gr PP.

### Weldcore Soft Nose

Using our jackets, deep drawn from 90/10 gilding metal with internal profiling for controlled expansion, combined with our bonded core process ensures reliable lethality over a broad velocity range.

All Woodleigh expanding bullets use pure lead core material for consistent expansion.



Mr Rhys Hillier and Sambar deer using a Kimberly Montana 84m rifle in 7mm-08 Rem and 140grPP

### Full Metal Jacket

The most heavily constructed steel jacketed solids available. Made from extra deep drawing grade steel, clad with 90/10 gilding metal alloy. The jacket is heavy at the nose (0.084") to create extra impact resistance. The base of the bullet is rolled back 90 degrees to provide a double strength heel to prevent core loss on impact.

Woodleigh is the only company worldwide that manufacture a comprehensive range of FMJ bullets suitable for dangerous game.

### Loading Tips - Full Metal Jacket

Woodleigh steel jacketed FMJ's generate more pressure than our soft nose bullets for any given load. To assist the barrel's lead to engrave the rifling on the bullet, most Woodleigh FMJ's are .0005" to .001" under nominal diameter. It is important for the case neck to have a good grip on the bullets, especially when loading for dangerous game. Factors which affect the grip are:- Bullet diameter and inside neck diameter. Inside neck diameter is a product of case neck wall thickness, die neck diameter and neck plug diameter. As a general rule, start with a charge 5% below that used for soft nose bullets, and work up.



Mr Andrew Hepner and Giraffe using William Evans rifle in 500 Nitro Express 3" case and the Woodleigh 570grain RNSN. 1 shot at 50yds.

# WOODLEIGH BULLETS

## Recommended Usage

### Plains Game

For animals over 50Kg (110lb) use calibres from 6.5mm upwards. Our recommendation is to use 150gr in 270, 160gr in 7mm, 180gr - 220gr in 30 calcs, 225gr in 338.

### Large Thin Skinned Game

#### Eland, Kudu, Moose, Elk, Bears

Use medium calibres from 338 upwards. We recommend 250-300gr in 338, 286gr-320gr in 9.3mm, & 300gr in 375.



*Left : Mr Louis Baum and Brown Bear using a Heym Double rifle in 9.3 x 74R and the 286gr*

*Right : Mr Oliver G. and Tahr using a Tikka T3 in 300WSM and 180gr PP.*



*Left : Mr Lindsay Taylor and Oryx using a Sako 85 Brown Bear in .375H+H Magnum and 235gr PP.*

### Dangerous Thin Skinned Game - Cats

Use good quality soft nose bullets, medium calibres (375) upwards. Large male lions have heavy muscles, again, don't get carried away with light bullet and high velocity. Use a standard calibre (375 300gr or 416 410gr) weight soft nose bullet, or heavier preferably RN type. Woodleigh RN give rapid, controlled expansion and are eminently suitable for this type of game.

The PP's, although a little slower in expanding are also an excellent choice, especially if one bullet is chosen for all round use.

### Large Dangerous Game

#### Elephant, Buffalo, Hippo, Rhino

Use the most powerful cartridge you can shoot confidently, and comfortably handle. For elephant, only use high quality solid bullets for all shots.

For those who prefer homogenous or monolithic solids, we now offer our Hydrostatically Stabilised solid in most popular calibres.

These deliver high shock and excellent deep straight line penetration.

For other heavy dangerous game, we recommend and have proven from much experience, the use of a soft nose bullet for the first shot, followed by solids if needed. Use the heaviest bullets available for your chosen cartridges. Heavy bullets are much more reliable at moderate velocity than light bullets at high velocity.

Good quality solids are essential for second and subsequent shots on other heavy dangerous game. In the case of buffalo the bullet may have to penetrate rear end muscles (which will stop most soft nose) and the large grass packed stomach or rumen bag, to finally reach the vitals of the chest cavity.

Similarly, a rear raking shot will necessitate the bullet penetrating the stomach or rumen bag before reaching the vitals. No soft point made can be relied on to penetrate sufficiently for a successful rear end or raking shot. Also, head or spine shots on a charging animal are very risky. Only good quality solids can be relied on for this, such as Woodleigh steel clad FMJ bullets and Hydrostatically Stabilised solid bullets.



*Above : Mr Rhys Thatcher and Buffalo using a CZ 550 Safari in 450 Rigby with 550gr RN.*

*Below : Mr Lloyd Smrkovski and Lion using 375 H+H Magnum and 350gr PP.*



# HYDROSTATICALLY STABILISED BULLETS

Not recommended for herd situations due to likely shoot through

Woodleigh Hydrostatically Stabilised bullet. Generally accepted as the seventh generation in bullets by virtue of the fact that it incorporates all the best characteristics of both modern solids and expanding bullets. Unequalled straight-line performance. Deep reliable penetration. Large consistent wound channel. Environmentally sensitive construction.

Suitable for game the size of deer through to elephant, this bullet has no peer when hunting in heavy brush. Game can be reliably taken from any angle. Provided the game's vital organs are in your line of sight, you can rest assured that the bullet will reach and destroy them resulting in a humane kill when using a cartridge that is suited for the game being hunted.

As this bullet does not rely on expansion for its killing effect, it side steps the problem of erratic expansion suffered by some other types of expanding monometal bullets.

Another desirable feature is the shallow driving bands and full diameter body.

The driving bands combined with the materials used, keep pressures low and minimise stresses on barrels.

**In line with good practise when using this type of bullet in magazine rifles we strongly recommend that all ammunition is cycled through the magazine to ensure that feeding is reliable prior to going on a hunt. If you have a feeding problem, try changing the seating depth.**

***Loading Tip - Hydrostatically Stabilised bullets generate similar pressure to conventional soft nose bullets. However in keeping with safe loading practice always reduce powder charge by 2 grains then work up.***




*Below: Mr John Marozzi, Bachelor of Science (Metallurgy), designed and developed the hydrostatically stabilized bullets.*



*Above : Mr John Marozzi & bull giraffe taken quartering on with a quick left & right at 60 yards with his Sabatti rifle and the 500 NE and 570gr hydros. Both bullets exited in front of the rear hip.*


# WOODLEIGH BULLETS

| Cat. No. | Calibre                        |             | No./ Box | SD   | BC   | Rec. Impact Vel. (fps) | Length inches |   |
|----------|--------------------------------|-------------|----------|------|------|------------------------|---------------|---|
| 80       | <b>6.5mm .264"</b>             | 140gr PP SN | 50       | .287 | .444 | 2000-3000              | 1.240         |    |
| 80A      |                                | 160gr PP SN | 50       | .328 | .509 | 2000-3000              | 1.381         |    |
| 80B      |                                | 160gr RN SN | 50       | .328 | .285 | 2000-2800              | 1.250         |    |
| 72       | <b>270 Win .277"</b>           | 130gr PP SN | 50       | .242 | .409 | 2000-3000              | 1.087         |    |
| 73       |                                | 150gr PP SN | 50       | .279 | .463 | 2000-3000              | 1.209         |    |
| 73A      |                                | 180gr PP SN | 50       | .334 | .513 | 2000-3000              | 1.391         |    |
| 74       | <b>7mm .284"</b>               | 140gr PP SN | 50       | .248 | .436 | 2000-3000              | 1.112         |    |
| 75       |                                | 160gr PP SN | 50       | .283 | .486 | 2000-3000              | 1.232         |    |
| 76       |                                | 175gr PP SN | 50       | .310 | .510 | 2000-3000              | 1.314         |    |
| 77       | <b>275 H&amp;H .287"</b>       | 160gr PP SN | 50       | .277 | .474 | 2000-3000              | 1.223         |    |
| 78       |                                | 175gr PP SN | 50       | .304 | .509 | 2000-3000              | 1.310         |    |
| 65I      | <b>308 Cal .308"</b>           | 130gr PP SN | 50       | .189 | .302 | 2000-3000              | .902          |   |
| 65F      |                                | 150gr PP SN | 50       | .226 | .310 | 2000-2900              | 1.043         |  |
| 65A      |                                | 165gr PP SN | 50       | .248 | .320 | 2000-2900              | 1.080         |  |
| 65B      |                                | 180gr PP SN | 50       | .271 | .376 | 2000-2900              | 1.153         |  |
| 65C      |                                | 220gr RN SN | 50       | .331 | .367 | 2000-2400              | 1.275         |  |
| 65       |                                | 220gr FMJ   | 50       | .331 | .359 |                        | 1.388         |  |
| 65G      | <b>30/06 .308"</b>             | 240gr PP SN | 50       | .361 | .401 | 2000-2400              | 1.428         |  |
| 65H      | <b>30-30 .308"</b>             | 150gr FN SN | 50       | .226 | .246 | 2000-2400              | .916          |  |
| 65D      | <b>300 MAG .308"</b>           | 180gr PP SN | 50       | .271 | .435 | 2000-3000              | 1.220         |  |
| 65E      |                                | 200gr PP SN | 50       | .301 | .450 | 2000-2900              | 1.278         |  |
| 68A      | <b>303 British .312"</b>       | 174gr PP SN | 50       | .255 | .362 | 2000-2600              | 1.098         |  |
| 68       |                                | 215gr RN SN | 50       | .316 | .359 | 2000-2200              | 1.235         |  |
| 68B      | <b>303/7.62mm x 39mm .312"</b> | 130gr PP SN | 50       | .180 | .295 | 2000-3000              | .914          |  |
| 64B      | <b>8mm .323"</b>               | 196gr RN SN | 50       | .268 | .315 | 2000-2700              | 1.128         |  |
| 64C      |                                | 220gr RN SN | 50       | .301 | .355 | 2000-2700              | 1.233         |  |
| 64D      |                                | 250gr RN SN | 50       | .343 | .403 | 2000-2700              | 1.356         |  |
| 64F      | <b>325 WIN (8mm) .323"</b>     | 200gr PP SN | 50       | .274 | .406 | 2000-2900              | 1.240         |  |
| 64G      |                                | 220gr PP SN | 50       | .301 | .448 | 2000-2900              | 1.330         |  |
| 64E      | <b>8 x 57 I .318"</b>          | 200gr RN SN | 50       | .283 | .331 | 2000-2700              | 1.152         |  |

# WOODLEIGH BULLETS

| Cat. No. | Calibre                       |             | No./ Box | SD   | BC   | Rec. Impact Vel. (fps) | Length inches |  |
|----------|-------------------------------|-------------|----------|------|------|------------------------|---------------|--|
| 63       | <b>318 Westly Rich. .330"</b> | 250gr RN SN | 50       | .328 | .365 | 2000-2500              | 1.302         |    |
| 64       |                               | 250gr FMJ   | 50       | .328 | .364 |                        | 1.419         |    |
| 60       | <b>333 Jeffery .333"</b>      | 250gr RN SN | 50       | .322 | .335 | 2000-2500              | 1.244         |    |
| 61       |                               | 300gr RN SN | 50       | .386 | .418 | 2000-2500              | 1.459         |    |
| 62       |                               | 300gr FMJ   | 50       | .386 | .418 |                        | 1.577         |    |
| 56C      | <b>338 Fed 338/06 .338"</b>   | 180gr PP SN | 50       | .226 | .361 | 2000-2900              | 1.033         |    |
| 56D      |                               | 200gr PP SN | 50       | .251 | .401 | 2000-2900              | 1.113         |    |
| 56E      | <b>33 Win .338"</b>           | 200gr FN SN | 50       | .246 | .234 | 2000-2200              | 1.035         |    |
| 56A      | <b>338 Mag .338"</b>          | 225gr PP SN | 50       | .281 | .425 | 2000-2900              | 1.189         |    |
| 56       |                               | 250gr RN SN | 50       | .313 | .290 | 2000-2500              | 1.226         |    |
| 56B      |                               | 250gr PP SN | 50       | .313 | .431 | 2000-2500              | 1.288         |    |
| 57       |                               | 250gr FMJ   | 50       | .313 | .326 |                        | 1.334         |   |
| 58       |                               | 300gr RN SN | 50       | .375 | .341 | 2000-2500              | 1.430         |  |
| 59       |                               | 300gr FMJ   | 50       | .375 | .340 |                        | 1.558         |  |
| 348      | <b>348 Win .348"</b>          | 250gr FN SN | 50       | .295 | .281 | 2000-2500              | 1.161         |  |
| 51       | <b>358 Cal .358"</b>          | 225gr RN SN | 50       | .251 | .263 | 2000-2500              | 1.043         |  |
| 51A      |                               | 225gr PP SN | 50       | .251 | .372 | 2000-2600              | 1.131         |  |
| 52       |                               | 225gr FMJ   | 50       | .251 | .263 |                        | 1.090         |  |
| 53       |                               | 250gr RN SN | 50       | .279 | .300 | 2000-2500              | 1.125         |  |
| 53A      |                               | 250gr PP SN | 50       | .279 | .400 | 2000-2600              | 1.219         |  |
| 53B      |                               | 275gr PP SN | 50       | .307 | .450 | 2000-2600              | 1.312         |  |
| 54       |                               | 310gr RN SN | 50       | .346 | .458 | 2000-2200              | 1.352         |  |
| 55       |                               | 310gr FMJ   | 50       | .346 | .458 |                        | 1.443         |  |
| 47D      | <b>9.3 Cal .366"</b>          | 232gr PP SN | 50       | .246 | .307 | 2000-2700              | 1.160         |  |
| 47A      |                               | 250gr RN SN | 50       | .267 | .281 | 2000-2400              | 1.083         |  |
| 47C      |                               | 250gr PP SN | 50       | .267 | .381 | 2000-2700              | 1.210         |  |
| 47       |                               | 286gr RN SN | 50       | .305 | .321 | 2000-2400              | 1.209         |  |
| 47B      |                               | 286gr PP SN | 50       | .305 | .396 | 2000-2600              | 1.323         |  |
| 48       |                               | 286gr FMJ   | 50       | .305 | .305 |                        | 1.273         |  |
| 49       |                               | 320gr RN SN | 50       | .341 | .359 | 2000-2200              | 1.323         |  |
| 49A      |                               | 320gr PP SN | 50       | .341 | .457 | 2000-2600              | 1.441         |  |

# WOODLEIGH BULLETS

| Cat. No. | Calibre                    |                        | No./ Box | SD   | BC   | Rec. Impact Vel. (fps) | Length inches |  |
|----------|----------------------------|------------------------|----------|------|------|------------------------|---------------|--|
| 50       | <b>9.3 Cal .366"</b>       | 320gr FMJ              | 50       | .341 | .341 |                        | 1.412         |    |
| 42A      | <b>375 Mag .375"</b>       | 235gr PP SN            | 50       | .239 | .310 | 1900-2800              | 1.013         |    |
| 42       |                            | 270gr RN SN            | 50       | .274 | .250 | 1900-2400              | 1.088         |    |
| 43A      |                            | 270gr PP SN            | 50       | .274 | .370 | 1900-2700              | 1.130         |    |
| 44HD     |                            | Heavy Duty 300gr RN SN | 50       | .305 | .277 | 1900-2550              | 1.218         |               |
| 44       |                            | 300gr RN SN            | 50       | .305 | .277 | 1900-2400              | 1.184         |               |
| 45A      |                            | 300gr PP SN            | 50       | .305 | .380 | 1900-2600              | 1.232         |               |
| 46       |                            | 300gr FMJ              | 50       | .305 | .275 |                        | 1.253         |               |
| 46BHD    |                            | Heavy Duty 350gr RN SN | 50       | .356 | .323 | 1900-2500              | 1.378         |               |
| 46C      |                            | 350gr PP SN            | 50       | .356 | .400 | 1900-2500              | 1.408         |               |
| 46D      |                            | 350gr FMJ              | 50       | .356 | .307 |                        | 1.447         |               |
| 81       | <b>400 Purdey .405"</b>    | 230gr RN SN            | 50       | .200 | .181 | 2050                   | .810          |  |
| 40A      | <b>450/400 Nitro .408"</b> | 400gr RN SN            | 50       | .344 | .307 | 1800-2200              | 1.308         |             |
| 40       | <b>.411"</b>               | 400gr RN SN            | 50       | .338 | .307 | 1800-2200              | 1.298         |             |
| 40B      | <b>450/400 3" .410"</b>    | 400gr RN SN            | 50       | .338 | .307 | 1800-2200              | 1.305         |             |
| 41A      | <b>.408"</b>               | 400gr FMJ              | 50       | .344 | .300 |                        | 1.412         |             |
| 41       | <b>.410"</b>               | 400gr FMJ              | 50       | .338 | .300 |                        | 1.412         |             |
| 71       | <b>405 Win .412"</b>       | 300gr RN SN            | 50       | .252 | .194 | 1800-2200              | 0.985         |             |
| 39       | <b>416 Rigby .416"</b>     | 340gr PP SN            | 50       | .281 | .330 | 1900-2600              | 1.197         |             |
| 37A      |                            | 410gr RN SN            | 50       | .338 | .307 | 1900-2400              | 1.334         |             |
| 38       |                            | 410gr FMJ              | 50       | .338 | .300 |                        | 1.399         |             |
| 37B      |                            | 450gr RN SN            | 50       | .371 | .338 | 1900-2400              | 1.437         |             |
| 38B      |                            | 450gr FMJ              | 50       | .371 | .330 |                        | 1.510         |             |
| 37C      | <b>416 Remington .416"</b> | 400gr RN SN            | 50       | .330 | .305 | 1900-2400              | 1.303         |             |
| 38C      |                            | 400gr FMJ              | 50       | .330 | .300 |                        | 1.370         |             |
| 37N      |                            | 450gr RN SN            | 50       | .371 | .338 | 1900-2400              | 1.437         |             |
| 38N      |                            | 450gr FMJ              | 50       | .371 | .330 |                        | 1.510         |             |
| 36       | <b>10.75 x 68mm .423"</b>  | 347gr RN SN            | 50       | .277 | .290 | 1800-2300              | 1.116         |             |
| 36A      |                            | 347gr FMJ              | 50       | .277 | .288 |                        | 1.188         |             |
| 35       | <b>404 Jeffery .422"</b>   | 350gr RN SN            | 50       | .281 | .293 | 1800-2600              | 1.128         |             |

# WOODLEIGH BULLETS

| Cat. No. | Calibre                                 |             | No./ Box | SD   | BC   | Rec. Impact Vel. (fps) | Length inches |   |
|----------|---|-------------|----------|------|------|------------------------|---------------|---|
| 33A      | <b>404 Jeffery .422"</b>                | 400gr RN SN | 50       | .321 | .335 | 1900-2400              | 1.282         |                         |
| 34       |   | 400gr FMJ   | 50       | .321 | .330 |                        | 1.347         |                  |
| 33B      |   | 450gr RN SN | 50       | .361 | .360 | 1800-2300              | 1.416         |    |
| 34B      |   | 450gr FMJ   | 50       | .361 | .355 |                        | 1.491         |         |
| 444      | <b>444 Marlin &amp; 44 Magnum .430"</b> | 280gr FN SN | 50       | .216 | .186 | 1800-2200              | .828          |                         |
| 31       | <b>425 Westly Rich .435"</b>            | 410gr RN SN | 50       | .310 | .222 | 1800-2250              | 1.177         |                         |
| 32       |   | 410gr FMJ   | 50       | .310 | .221 |                        | 1.263         |                  |
| 67       | <b>11.2 Schuler .440"</b>               | 401gr RN SN | 50       | .296 | .325 | 1800-2250              | 1.167         |                         |
| 30       | <b>458 Mag .458"</b>                    | 400gr PP SN | 50       | .272 | .340 | 1900-2500              | 1.152         |                         |
| 24A      |   | 480gr RN SN | 50       | .327 | .310 | 1800-2200              | 1.261         |    |
| 25A      |   | 480gr FMJ   | 50       | .327 | .308 |                        | 1.340         |       |
| 26       |   | 500gr RN SN | 50       | .341 | .328 | 1800-2200              | 1.305         |  |
| 26A      |   | 500gr PP SN | 50       | .341 | .378 | 1800-2300              | 1.394         |  |
| 28       |   | 500gr FMJ   | 50       | .341 | .325 |                        | 1.388         |       |
| 27       |   | 550gr RN SN | 50       | .375 | .340 | 1800-2200              | 1.414         |  |
| 29       |   | 550gr FMJ   | 50       | .375 | .326 |                        | 1.521         |       |
| 30A      | <b>450 BPE .458"</b>                    | 350gr RN SN | 50       | .238 | .250 | 1800-2100              | 0.949         |                       |
| 30C      | <b>45/70 .458"</b>                      | 300gr FN SN | 50       | .205 | .196 | 1700-2200              | .792          |                       |
| 30B      |   | 405gr FN SN | 50       | .276 | .204 | 1700-2000              | 1.020         |  |
| 24       | <b>450 Nitro .458"</b>                  | 480gr RN SN | 50       | .327 | .310 | 1800-2200              | 1.261         |                       |
| 25       |   | 480gr FMJ   | 50       | .327 | .308 |                        | 1.340         |                |
| 22       | <b>465 Nitro .468"</b>                  | 480gr RN SN | 50       | .313 | .315 | 1800-2200              | 1.225         |                       |
| 23       |   | 480gr FMJ   | 50       | .313 | .310 |                        | 1.316         |                |
| 20       | <b>470 Nitro .474"</b>                  | 500gr RN SN | 50       | .318 | .374 | 1800-2200              | 1.247         |                       |

# WOODLEIGH BULLETS

| Cat. No. | Calibre                                  |             | No./ Box | SD   | BC   | Rec. Impact Vel. (fps) | Length inches |   |
|----------|--|-------------|----------|------|------|------------------------|---------------|---|
| 21       | <b>470 Nitro .474"</b>                   | 500gr FMJ   | 50       | .318 | .370 |                        | 1.341         |    |
| 18       | <b>476 Westly Rich. .476"</b>            | 520gr RN SN | 50       | .328 | .385 | 1800-2200              | 1.287         |    |
| 19       |  | 520gr FMJ   | 50       | .328 | .380 |                        | 1.385         |    |
| 15       | <b>475 No. 2 .483"</b>                   | 480gr RN SN | 50       | .294 | .309 | 1800-2200              | 1.156         |    |
| 16       |  | 480gr FMJ   | 50       | .294 | .300 |                        | 1.258         |    |
| 13       | <b>475 No. 2 Jeffery .488"</b>           | 500gr RN SN | 50       | .300 | .315 | 1800-2200              | 1.184         |    |
| 14       |  | 500gr FMJ   | 50       | .300 | .300 |                        | 1.284         |    |
| 11       | <b>505 Gibbs .505"</b>                   | 525gr RN SN | 25       | .294 | .345 | 1800-2200              | 1.197         |    |
| 12       |  | 525gr FMJ   | 25       | .294 | .340 |                        | 1.271         |   |
| 11A      |  | 600gr PP SN | 25       | .336 | .360 | 1800-2200              | 1.289         |  |
| 12A      |  | 600gr FMJ   | 25       | .336 | .360 |                        | 1.411         |  |
| 83       | <b>500 S&amp;W MAG .500"</b>             | 400gr FN SN | 25       | .229 | .182 | 1500-2000              | .816          |  |
| 9        | <b>500 Jeffery .510"</b>                 | 535gr RN SN | 25       | .294 | .350 | 1800-2200              | 1.199         |  |
| 9A       |  | 535gr PP SN | 25       | .294 | .310 | 1800-2200              | 1.158         |  |
| 10       |  | 535gr FMJ   | 25       | .294 | .340 |                        | 1.267         |  |
| 10B      |  | 600gr PP SN | 25       | .330 | .350 | 1800-2200              | 1.268         |  |
| 10A      |  | 600gr FMJ   | 25       | .330 | .355 |                        | 1.396         |  |
| 8        | <b>500 BP .510"</b>                      | 440gr RN SN | 25       | .242 | .255 | 1700-2000              | 0.991         |  |
| 82       | <b>50 Alaskan &amp; 50/110 WIN .510"</b> | 500gr FN SN | 25       | .275 | .219 | 1700-2200              | .986          |  |
| 06A      | <b>500 Nitro .510"</b>                   | 450gr RN SN | 25       | .247 | .257 | 1800-2200              | .984          |  |
| 6        |  | 570gr RN SN | 25       | .313 | .368 | 1800-2200              | 1.258         |  |
| 7        |  | 570gr FMJ   | 25       | .313 | .350 |                        | 1.336         |  |
| 5        | <b>577 BP Express .585"</b>              | 650gr RN SN | 25       | .271 | .292 | 1700-2000              | 1.084         |  |

# WOODLEIGH BULLETS


| Cat. No. | Calibre                |              | No./ Box | SD   | BC   | Rec. Impact Vel. (fps) | Length inches |   |
|----------|------------------------|--------------|----------|------|------|------------------------|---------------|---|
| 3A       | <b>577 Nitro .585"</b> | 650gr RN SN  | 25       | .271 | .292 | 1800-2100              | 1.112         |  |
| 4A       | <b>.584"</b>           | 650gr FMJ    | 25       | .272 | .292 |                        | 1.155         |  |
| 3        | <b>.585"</b>           | 750gr RN SN  | 25       | .313 | .346 | 1800-2100              | 1.249         |  |
| 4        | <b>.584"</b>           | 750gr FMJ    | 25       | .314 | .351 |                        | 1.307         |  |
| 1        | <b>600 Nitro .620"</b> | 900gr RN SN  | 25       | .334 | .371 | 1700-2000              | 1.292         |  |
| 2        |                        | 900gr FMJ    | 25       | .334 | .334 |                        | 1.282         |  |
| A        | <b>700 Nitro .700"</b> | 1000gr RN SN | 25       | .292 | .340 | 1700-2000              | 1.172         |  |
| B        |                        | 1000gr FMJ   | 25       | .292 | .340 |                        | 1.223         |  |

PP SN = Protected Point Soft Nose FMJ = Full Metal Jacket FN SN = Flat Nose Soft Nose RN SN = Round Nose Soft Nose

## Hydrostatically Stabilised Bullets

| Code                              | Calibre     | Diameter in inches | Weight in grains | No per pack | Bullet Length in inches |
|-----------------------------------|-------------|--------------------|------------------|-------------|-------------------------|
| H7mm                              | 7mm         | .284"              | 140              | 20          | 1.170                   |
| H308A                             | 308         | .308"              | 150              | 20          | 1.060                   |
| H308                              | 308         | .308"              | 180              | 20          | 1.250                   |
| H303                              | 303         | .312"              | 215              | 20          | 1.423                   |
| H8mm                              | 8mm         | .323"              | 170              | 20          | 1.090                   |
| H338A                             | 338         | .338"              | 185              | 20          | 1.070                   |
| H338                              | 338         | .338"              | 225              | 20          | 1.279                   |
| H358                              | 358         | .358"              | 225              | 20          | 1.146                   |
| H9.3A                             | 9.3         | .366"              | 232              | 20          | 1.141                   |
| H9.3                              | 9.3         | .366"              | 286              | 20          | 1.376                   |
| H375A                             | 375         | .375"              | 235              | 20          | 1.100                   |
| H375                              | 375         | .375"              | 300              | 20          | 1.390                   |
| H450/400                          | 450/400 3"  | .410"              | 400              | 10          | 1.523                   |
| H416                              | 416         | .416"              | 400              | 10          | 1.514                   |
| H404                              | 404 Jeffery | .422"              | 400              | 10          | 1.467                   |
| H450BPE                           | 450         | .458"              | 325              | 10          | 1.020                   |
| H45/70                            | 45/70       | .458"              | 400              | 10          | 1.239                   |
| H458A                             | 458         | .458"              | 450              | 10          | 1.377                   |
| H458                              | 458         | .458"              | 480              | 10          | 1.466                   |
| H465                              | 465         | .468"              | 480              | 10          | 1.412                   |
| H470                              | 470         | .474"              | 500              | 10          | 1.438                   |
| H500                              | 500         | .510"              | 570              | 10          | 1.426                   |
| H50Alaskan                        | 50 Alaskan  | .510"              | 400              | 10          | 1.006                   |
| H505                              | 505         | .505"              | 525              | 10          | 1.322                   |
| H577                              | 577         | .585"              | 750              | 10          | 1.424                   |
| <b>Woodleigh VLD Brass Solids</b> |             |                    |                  |             |                         |
| VLD338                            | 338         | .338"              | 250              | 10          | 1.695                   |
| VLD375                            | 375         | .375"              | 350              | 10          | 2.184                   |
| VLD408                            | 408 Cheytac | .408"              | 400              | 10          | 2.175                   |
| VLD416                            | 416         | .416"              | 395              | 10          | 2.083                   |
| VLD50BMG                          | 50BMG       | .510"              | 700              | 10          | 2.475                   |





*Above : Craig Mearns and Kudu using 400H+H and the 400gr RN.*



*Left : Eric Snyder and Elk using a McWhorter Custom 7STW and the Woodleigh 175 PP in 7mm*



*Right : Mr Mark Peart and Buffalo using a Mauser Africa PH 404 Jeffrey and 400gr RN*



*Left : Richard Roese and Sable using a Thompson Center Encore in .375H+H Magnum and the Woodleigh 270 PP*